



1Q 2021

**BC/CO Tactical Training
2020 Tactical Guidelines**

MCO Tactical Notes:

- RIC Once the original crew has been deployed, a new crew needs to be established.
- Please identify Firefighters as Firefighters and civilians as victims. “Rescued Firefighter exiting Bravo stairwell.”
- **RAPID INTERVENTION CREW (RIC)** - On-scene team of at least two members designated, dedicated and equipped to effect an immediate rescue of firefighters if the need arises (also known as RIT). [WAC 296-305-01005](#) King County Fire Chiefs recommendation is a minimum of at least three members.
- **RAPID INTERVENTION GROUP (RIG)** - A group consisting of two or more companies with an assigned leader that remains outside the hazard zone for firefighter rescue.
- *In the absence of additional staff, the Incident Safety Officer or Command Post Aide may transition to the position of Rapid Intervention Group (RIG) Supervisor in the event of a “Mayday” or other fireground emergency where RIG is activated. The responsibility of the Incident Safety Officer will revert to the IC until reassigned. Do not change the talk group in which the Mayday was declared. The RIG Supervisor will communicate with the Mayday firefighter or crew.*

Radio Sequence:

The following of one thing after another in a consistent order with Common language

- Approaching Oakland International Airport Information Delta 0253 zulu, wind 260 at 10, visibility 10, ceiling 20,000 broken, temp 20, dewpoint 12, altimeter 29.5, ILS and visual approaches runways 29 right, 27 R in use.
- The information is always presented in the same sequence.
- Practicing proper radio communications will Improve efficiencies and reduce confusion.
- The receiver will be able to anticipate the information to come.
- Common terms given in a consistent order provide Clarity and Consistency that will set the operation up for success.




Famous Fireground Quote

- “Optimal Fireground communications consists of common language sequenced in a consistent pattern that leads to clarity and easily anticipated outcomes. The Communications are a confirmation of anticipated actions based on a well-established Tactical Guidelines.”

Lloyd Bruno Dunn

Who is Lloyd Bruno Dunn?



A combination of Lloyd Layman, Alan Brunacini, and Vincent Dunn.

In accordance with what they very well may have said.

Jeffrey Lebowski “The Dude”



NORTH KING COUNTY TRAINING CONSORTIUM

MVA

Initial Radio Report

- Hail:** *Fire Dispatch ____ on-scene*
- Involved:** # and vehicle type *(Blocking)*
- Mechanism:** (High Speed / Heavy Mechanism) (Low Speed / Minor Damage) (Air Bags)
- Position:** (Head-on / T-bone / Rear-End / Underride) (On top / On side / vs pole)
(Off road / Rollover)
- Hazards:** Wires down, Fire, In water, Hazmat
- Command:** **Establishing ____ Command**
- 360:** *Performing 360, update to follow* (inner and outer circle)

Follow Up Report

Hail: *Fire dispatch ____ command*
"360 Complete"

Triage: We have ____ patients (____ Red, ____ Yellow, ____ Green, ____ Striped)

Upgrade: Upgrade to an **ALS MVA / Rescue # ____ Trapped / MCI for ____ #**

Needs: Additional Medic units / PD / State Patrol / WSDOT / type ____ tow truck

Considerations

If an MCI: Establish transportation corridor in Follow up Report

Rescue Response: 2 Trucks / Rescue, 1 Engines, 1 Battalion, 1 MSO, 1 Aid, 1 Medic

Rescue Group Ladder / Rescue Company Officer as Supervisor

Medical Group MSO as Supervisor

Tow Truck: Type A – small, B – Flat bed, C – Commercial Tow truck:(Rotator – Dick's)

TTCZ: Temporary Traffic Control Zone

Lane 1: Closest to shoulder on freeway

Initial Radio Report



Dispatched: L131 A131 B131
MVA NE 175 ST
L131 First In

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 4 Patients, 3 Red, 1 Yellow, 2 Trapped

No Additional Hazards

Follow Up Report

Triage

Upgrade

Needs



Dispatched: A142, E142, B142
MVA 104 AVE NE
A142 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 3 Patients, 1 Red, 2 Yellow

No Additional Hazards

Follow Up Report

Triage

Upgrade

Needs



Dispatched: A151, E151,B151
MVA 71 AVE NE
E151 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 2 Patients, 1 Red, 1 Yellow

No Additional Hazards

Follow Up Report

Triage

Upgrade

Needs



Dispatched: E164, A164, B161
MVA NW Innis Arden Way
E164 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 4 Patients, 2 Red 2 Yellow

Power lines down

Follow Up Report

Triage

Upgrade

Needs



Dispatched: A151, E157, B151
MVA NE Bothell Way
E157 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 6 Patients, 4 Red, 2 Yellow

No Additional Hazards

Follow Up Report

Triage

Upgrade

Needs



Dispatched: L131,E135

A131,B131

MVA Woodinville Duvall Rd.

L131 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 5 Patients, 2 Red, 2 Striped, 1 Green

2 Trapped

Blocking, Unsecured load

Follow Up Report

Triage

Upgrade

Needs



Dispatched: E133, A135 B131
MVA Bear Creek Rd.
A131 First In

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 2 Patients, 2 Yellow

Power lines down

No other hazards

Follow Up Report

Triage

Upgrade

Needs



Dispatched: A144, E145, B142

MVA I 405

E145 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 2 Patients **2 Yellow**

No Additional Hazards

Follow Up Report

Triage

Upgrade

Needs



Dispatched: L161,A163,B161

MVA 19 AVE NE

L161 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 2 Patients, 1 Red, 1 Yellow

Power lines down

Follow Up Report

Triage

Upgrade

Needs



Dispatched: A151, E157, B151
MVA NE Bothell Way
E157 First in

Initial Radio Report

Involved

Mechanism

Position

Hazards

Command

360

Update: 2 Patients, 1 Red, 1 Yellow

No Additional Hazards

Follow Up Report

Triage

Upgrade

Needs



IRR

19206 65 PL NE

- Report of Residential Structure Fire
- Homeowner was working on a car in the garage.
- Told to evacuate



360 Highlights

- Unknown if Occupied
- Explosion inside Garage



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

19120 68 AVE NE

- Report of Residential Structure Fire
- Multiple calls



360 Highlights

Unknown if Occupied



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

6411 NE 192 ST

- Report of Food on the Stove
- Language barrier



360 Highlights

- Reported Evacuated
- Two Dobermanns in Back yard



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

16569 NE 204 PL

- Report of Chimney Fire
- Homeowner Advised to evacuate



360 Highlights

- Building is Occupied
- Homeowner is in living room with a garden hose



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

13828 NE 165 ST

- Report of Assault, possible fire
- Caller hung up, screams in background
- Police arrive, scene secured



360 Highlights

- Known Rescue
- Wife Reports two kids trapped On floor 2
- Husband in custody



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

11021 NE 197 ST

- Residential AFA
- No Codes, unable to reach homeowner



360 Highlights

- Unknown if Occupied
- BBQ on back deck on fire with extension into home and eaves



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

19910 24 AVE NW

- Report of possible garage fire
- Neighbor called, thinks the homeowner is at work



360 Highlights

Unknown if Occupied



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

20417 19 PL NW

- Report of teenage son upstairs
- History of drug use



360 Highlights

Mom states, "Son is upstairs
Hx of mental illness."



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

8810 NE 190 ST

- Report of appliance fire
- Caller states, “Dryer on Fire”



360 Highlights

- Mom says laundry room filled with smoke.
- Unknown if son is home



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

6308 NE 193 CT

- Homeowner reports loud pop
- Computer on fire
- Advised to leave the house



360 Highlights

- Reported Evacuated
- Homeowner says, “2nd floor is all on fire.”
- Power Company a couple houses down working on transformer



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

14310 NE 203 ST

- Report of Residential Structure Fire
- Multiple calls



360 Highlights

Unknown if Occupied



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode



IRR

6703 NE 190 ST

- Report of Residential Structure Fire
- Multiple calls



360 Highlights

Unknown if Occupied



FUR

- *360 Complete*
- Life Safety
- Hazards
- Confirmation
- Mode





Scenarios

Northshore Residential

6308 NE 193 CT

E151, E157, E163, E144, R151, L161, L142, M157, MSO161,
B151, B161

Neighbor called in, unknown if anybody is home





Quality fencing by...
195



Bothell Residential

9318 NE 180 ST

E145,E144,E157,E135,L142,L131,B142,B151,MSO7,M142,A151

- Homeowner called report of two people trapped on floor 2
- Fire started in kitchen blocked access to stairs







Woodinville Residential

20516 205 AVE NE

Bear Creek Country Club

E133, E135, E117,E118, L131, L142, B131, B142, A142, M135, MSO 117

- Caller states, “Possible cigar left on golf cart started fire in garage.”
- Everyone is out of the house







Woodinville Residential

14618 Bear Creek Rd NE

E133, E135, E117,E118, L131, L142, B131, B142, A142, M135, MSO 117

- Homeowner states, “Garbage can caught fire, spreading into the house.”
- Everyone is out







Shoreline Residential

2736 NE 148 ST

E165,E164,E157,E19, L161,L20, A163,A165,M163,MSO6,B161,B151

- Report of structure fire in Duplex
- Multiple Calls, Report of Non-Ambulatory Bariatric in adjacent unit
- Everyone is out of the fire unit







Shoreline Strip Mall

523 NE 165 ST

E165,E164,E157,E19, L161,L20, A163,A165,M163,MSO6,B161,B151

- Report of suspicious fire at A & A Wireless
- Fire unit evacuated, unknown rest of building
- Origin appears to be intentionally set on Charlie side







Northshore Strip Mall

6522 NE Bothell Way

E151, E157, E163, E144, R151, L161, L142, M157, MSO161, B151,
B161,A16

Zeka Spa reported smoke increasing, Everyone has evacuated

Other units report smoke increasing

Unknown if other units are evacuated

Jalli Alterations
SEWING, SOFTWEAR, DRESS & FUR CARE

ZEK





ALTERATIONS
HANDMADE ART/GIFT





Jalli ALTERATIONS

SEWING, REWEAVING, DRESS & PANTS ALTERS

ION

Woodinville Strip Mall

14471 Redmond-Woodinville Rd NE

L131, E127, E118, E133, L142, E135, B131, B142, A131, M135, MSO 117

- Report of Structure fire next to Sora Sushi
- Language barrier, believe an explosion in kitchen, Fire spreading
- Unknown if Occupied
- Sprinkler system OOS





